ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /DK/ (01/20/2010)

| | | | | | (| | | |
|---|---|---|---------------------------|-------------------------------------|--|----------------|--|--|
| Substitute for form 1449/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use as many sheets as necessary) | | | | Complete if Known | | | | |
| | | | | Application Number | 10/588,361 | | | |
| | | | | Filing Date | October 24, 2006 | | | |
| | | | | First Named Inventor | Pratelli et al. | | | |
| | (Use as | many sneets as necessar | 3// | Art Unit | 1638 | | | |
| | | | | Examiner Name | Kruse, David H. | | | |
| Sheet | 1 | of | 3 | Attorney Docket Number 3338.I00WOUS | | | | |
| | | NON | PATENT LITE | ERATURE DOCUMI | ENTS | | | |
| EXAMINER INITIAL* | Cite No. ¹ | | zine, journal, serial, sy | | ticle (when appropriate), title of the e, page(s), volume-issue number(s), blished | T ² | | |
| | *************************************** | DUTRUC-ROSSET, G., "Statistiques Statistics Estadisticas," in: Bull_O.LV | | | | | | |
| | | special issue, pp. 94 O.I.V., Paris. 2000 | | | | | | |
| | | HRAZDINA, G., et al., "Physiological and Biochemical Events During | | | | | | |
| | | Development and Maturation of Grape Berries," 1994, American Journal of | | | | | | |
| | | Enology and Viticulture 35, 220-227. | | | | | | |
| | | HALE, C.R., "Relation between potassium and the malate and tartrate contents | | | | | | |
| | | of grape berries," 1977 Vitis 16, 9-19. VERY, et al., "Molecular Mechanisms and Regulation of K+Transport in Higher | | | | | | |
| | | PRATELLI, R., et al., "A Grapevine Gene Encoding a Guard Cell K+ Channel Displays Developmental Regulation in the Grapevine Berry," 2002, Plant Physiology 128, 564-577. FILLION, L., et al., "Cloning and Expression of a Hexose Transporter Gene | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | Expressed during the Ripening of Grape Berry," 1999, Plant Physiology 120, 1083-1093. | | | | | | |
| | | SAMBROOK, J., et al., "Molecular Cloning a Laboratory Manual," 1989 Cold Spring Harbor. | | | | | | |
| | | GAYMARD, F. et al., "Identification and Disruption of a Plan Shaker-like Outward Channel Involved in K+ Release into the Xylen Sap," 1998, Cell 94, 647-655. | | | | | | |
| | | CZEMPINSKI, K., et al., "New Structure and Function in plant K+ channels: KC01, an outward rectifier with a steep Ca ²⁺ dependency," 1997 The EMBO Journal 16, 2565-2775. | | | | | | |
| | | CHURCH, G.W., et al., "Genomic sequencing," 1984, Proceedings of the National Academy of Sciences of the United States of America 81, 1991-1995. | | | | | | |
| | | LAMCOMBE, B., et al., "Evidence for a Multi-ion Pore Behavior in the Plant Potassium Channel KAT1," 1998, Journal of Membrane Biology 166, 91-100. | | | | | | |
| EXAMINER | | | | DATE | | | | |

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. ¹Applicant is unique citation designation number (optional). ²Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 120 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time your require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Popartment of Comments. Washington, DC 20231, DO NOT SEND FIES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450 Alexandria, V. 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

| Substitute for form 1449/PTO | | | | | | | |
|--|--|--|----------------|-----------|--------------------|-----------------------------|----------------|
| | | | | ••• | | 10/588,361 | |
| INFORMATION DISCLOSURE | | | | Filing Da | te | October 24, 2006 | |
| STATEMENT BY APPLICANT (Use as many sheets as necessary) | | | | First Nan | ned Inventor | Pratelli et al. | |
| | | | | Art Unit | | 1638 | |
| | | | | Examine | Name | Kruse, David H. | |
| Sheet | 2 | of 3 Attorney Docket Number 3338.100WOUS | | | | | |
| | | NON | PATENT LITE | ERATUE | RE DOCUME | NTS | |
| EXAMINER INITIAL Cite Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published | | | | | | | T ² |
| | | channel SKOR, | " 2000, FEBS L | etters 46 | 66, 351-354. | vardly-rectifying potassium | |
| | | LANCOMBE, B., et al., "A Shaker-like K+ Channel with Weak Rectification is Expressed in Both Source and Sink Phloem Tissues of Arabidopsis," 2000 The Plant Cell 12, 837-851. | | | | | |
| | | | | | | molecular structures to | |
| | physiological functions," 1999, Current Opinion in Plant Biology 2, 477-4 | | | | | | |
| LANGER K., et al., "Poplar potassium transporters capable of of homeostasis and K+ dependent xylogenesis2002, The Plant Jou 1009. | | | | | | | |
| | ACHE, P., et al., "GORK, a delayed outward rectifier expressed in g Arabidopsis thaliana, is a K+-selective, K+ sensing ion channel," 20 Letters 486, 93-98. | | | | | | |
| PILOT, G., et al., "Five Group Distribution of the Shaker-like I Family in Higher Plants," 2003, Journal of Molecular Evolution | | | | | | | |
| | | DECROOCQ, V., et al., "Development and transferability of apricot and grape EST microsatellite markers across taxa," 2003, Theoretical and Applied Genetics 106, 912-22. KANELLIS, A.K., et al., 1993, Biochemistry of Fruit Ripening, pp. 189-234, (Seymour, G., Taylor, J. and Tucker, G., Eds.) Chapman Hall, London. WINKLER, a., et al., "General Viticulture," 1974, University of California Press, Berkely. BLATT, M.R. et al., "K+ Sensitive Gating of the K+ Outward Rectifier in Vicia Guard Cells," 1997, Journal of Membrane Biology 158, 241-256. ROBERTS, S.K, et al., "Inward and outward Kselective currents in the plasma membrane of protoplasts from maize root cortex and stele," 1995, The Plant Journal 8, 811-825. | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| EXAMINER SIGNATURE | | | | | DATE CONSIDERED | | |

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. 'Applicant's unique citation designation number (optional).' Applicant is to place a check mark here it Fenglish language Translation is attacked.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentially is governed by 35 U.S.C. 122 and 37 CFR 1.45. This collection is estimated to take 120 minutes to complete, including gathering, repearing, and submitting the completed application from to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Popurtment of Commerce, Washington, DC 20231, DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS, SEND TO: Commissioner for Patents, P.O. Box 1450 Assurance, V.2. 2313-1450.

| | | | | | | a 1 | | |
|---|--|--|-------------|-------------------|---|------------------|----------------|--|
| Substitute for form 1449/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use as many wheets as necessary) | | | | Complete if Known | | | | |
| | | | | | | · · | | |
| | | | | Filing Da | | October 24, 2006 | | |
| | | | | First Nan | ned Inventor | Pratelli et al. | | |
| | | | | Art Unit | | 1638 | | |
| | | | | Examine | Name | Kruse, David H. | | |
| Sheet | 3 | of 3 Attorney Docket Number 3338.100WOUS | | | | | | |
| | | NON | PATENT LITE | ERATUE | RE DOCUME | NTS | | |
| EXAMINER INITIAL | Cite No. ¹ | | | | | | T ² | |
| | | DE BOER, A.H., et al., "Regulatory mechanisms of ion channels in xylem parenchyma cells," 1997, Journal of Experimental Botany 48, 441-449. | | | | | | |
| | | MADEJA, M., "Extracellular Surface Charges in Voltage-Gated Ion Channels," 2000, News in Physiological Sciences 15, 15-19. | | | | | | |
| | | GEIGER, D., et al., "Outer Pore Residues Control the H+ and K+ Sensitivity of the Arabidopsis Potassium Channel AKT3," 2002, The Plant Cell 14, 1859-68. | | | | | | |
| | | MOULINE, K., et al., "Pollen tube development and competitive ability are impaired by disruption of a Shaker K+ channel in Arabidopsis," 2002, Gen and Development 16, 339-350. | | | | | | |
| | | HOSY, E., et al., "The Arabidopsis outward K+ channel GORK is involved in regulation of stomatal movements and plant transpiration,: 2003, Proceedings of the National Academy of Sciences o fihe United States of America 100, 5549-54. | | | | | | |
| | | BLANKE, M.M., et al., "Structure and Elemental Composition of Grape Berry Stomata," 1999, Journal of Plant Physiology 154, 477-481. | | | | | | |
| | POSSNER, D.R.E, et al., "the localization of acids, sugars, potassium and calcium in developing grape berries," 1985, Vitis 24, 229-240. | | | | | | | |
| COOMBE, B.G., "Distribution of Solu Relation to Its Morphology," 1987, An Viticulture 38, 120-127. | | | | | of Solutes within the Developing Grape Berry in 987, American Journal of Enology and | | | |
| | | TORREGROSA, L. "A simple and efficient method to obtain stable embryogenic cultures from anthers of Vitis vinifera L.," 1998, Vitis 37, 91-92. | | | | | | |
| | | BECKER, D., et al., "Regulation of the ABA-sensitive Arabidopsis potassium channel gene GORK in response to water stress," 2003, FEBS Lett (in press). | | | | | | |
| | | BAIZABAL-AGUIRRE, V.M., et al., "Suppression of Inward-Rectifying K+ Channels KAT1 and AKT2 by Dominant Negative Point Mutations in the KAT1 α-Subunit," 1999, Journal of Membrane Biology 167, 119-125. | | | | | | |
| EXAMINER SIGNATURE | | /David Kruse/ (02/ | 22/2010) | | DATE CONSIDERED | | | |

FEXAMINER: Initial if reference considered, whether or not citation is in conformance with MPIP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. 'Applicant' unique citation designation number (optional): 'Applicant is to place a closek mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentially is governed by 35 U.S.C. 122 and 37 CFR 1.47. This collection is estimated to task 120 minutes to complete, including gathering, preparing, and submitting the completed application from to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time your require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Popartment of Commerce, Washington, DC 20231, DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS, SEND TO: Commissioner for Patents, P.O. Box 1450 Alexandria. V. 22313-1450.